

WCAG2-AA accessibility report for http://www.messiah.edu

2017-07-28



Accessibility Issues Found

111

(6,838,918 unique issues affecting 7,145 pages)

Overall accessibility compliance




53 issues done

111 issues to fix/review

Level A Compliance

Issues (2,356,775 issues affecting 7,145 pages)




48 issues done

84 issues to fix


 **28** Errors

 **6** Warnings

 **50** Needs review




Level AA Compliance

Issues (4,482,143 issues affecting 7,145 pages)



























5 issues done

27 issues to fix

-  **8** Errors
-  **1** Warnings
-  **18** Needs review

All level A accessibility issues

	Success Criteria	Part of Guideline	Classification	
	All <code>img</code> elements have an <code>alt</code> attribute.	1.1.1	 - Error	299 Pages
	Image Alt text is short.	1.1.1	 - Review	47 Pages
	A long description is used for each <code>img</code> element that does not have Alt text conveying the same information as the image.	1.1.1	 - Review	412 Pages
	"Alt text for all <code>img</code> elements is the empty string ("") if the image is decorative."	1.1.1	 - Review	5518 Pages
	"All <code>input</code> elements with a <code>type</code> attribute value of "image" have an <code>alt</code> attribute."	1.1.1	 - Error	1 Pages
	"Alt text for all <code>input</code> elements with a <code>type</code> attribute value of "image" identifies the purpose or function of the image."	1.1.1	 - Review	27 Pages
	Alt text for all <code>img</code> elements that are not used as source anchors conveys the same information as the image.	1.1.1	 - Review	5353 Pages
	"Alt text for all <code>input</code> elements with a <code>type</code> attribute value of "image" contains all non-decorative text in the image."	1.1.1	 - Review	27 Pages
	" <code>title</code> attribute for all <code>img</code> elements is absent or the empty string ("") if the image is decorative."	1.1.1	 - Review	171 Pages
	Sound file must have a text transcript.	1.2.1	 - Review	2 Pages
	Links to multimedia require a text transcript.	1.2.1	 - Warning	3 Pages
	Links to multimedia have a link to text alternative.	1.2.1	 - Warning	3 Pages

	Success Criteria	Part of Guideline	Classification	
A	"All input elements, type of "text", have an explicitly associated label."	1.3.1	🚫 - Error	7033 Pages
A	All p elements are not used as headers.	1.3.1	🔔 - Warning	1767 Pages
A	All select elements have an explicitly associated label .	1.3.1	🚫 - Error	6729 Pages
A	All textarea elements have an explicitly associated label.	1.3.1	🚫 - Error	18 Pages
A	All textarea elements have a label that is positioned close to control.	1.3.1	👁️ - Review	111 Pages
A	All complex data tables have a summary.	1.3.1	👁️ - Review	61 Pages
A	All layout tables have an empty summary attribute or no summary attribute.	1.3.1	🚫 - Error	81 Pages
A	All layout tables do not contain caption elements.	1.3.1	🚫 - Error	4 Pages
A	"All input elements, type of "checkbox", have an explicitly associated label ."	1.3.1	🚫 - Error	4 Pages
A	"All input elements, type of "file", have an explicitly associated label ."	1.3.1	🚫 - Error	1 Pages
A	"All input elements, type of "radio", have an explicitly associated label ."	1.3.1	🚫 - Error	20 Pages
A	"All input elements, type of "password", have a label that is positioned close to the control."	1.3.1	👁️ - Review	5 Pages
A	"All input elements, type of "checkbox", have a label that is positioned close to the control."	1.3.1	👁️ - Review	66 Pages
A	"All input elements, type of "file", have a label that is positioned close to the control."	1.3.1	👁️ - Review	9 Pages
A	"All input elements, type of "radio", have a label that is positioned close to the control."	1.3.1	👁️ - Review	79 Pages
A	All data tables contain th elements.	1.3.1	👁️ - Review	442 Pages

	Success Criteria	Part of Guideline	Classification	
A	All layout tables do not contain <code>th</code> elements.	1.3.1	- Review	70 Pages
A	All data tables contain a <code>caption</code> unless the table is identified within the document.	1.3.1	- Review	69 Pages
A	<code>pre</code> element should not be used to create tabular layout.	1.3.1	- Review	6 Pages
A	All radio button groups are marked using <code>fieldset</code> and <code>legend</code> elements.	1.3.1	- Error	51 Pages
A	All data table summaries describe navigation and structure of the table.	1.3.1	- Review	9 Pages
A	"All <code>input</code> elements, type of "radio", have a <code>label</code> containing text."	1.3.1	- Error	12 Pages
A	"All <code>input</code> elements, type of "checkbox", have a <code>label</code> containing text."	1.3.1	- Error	15 Pages
A	All <code>select</code> elements have a label that contains text.	1.3.1	- Error	1 Pages
A	"All <code>input</code> elements, type of "text", have a label that is positioned close to the control."	1.3.1	- Review	7035 Pages
A	"All <code>input</code> elements, type of "text", have a <code>label</code> containing text."	1.3.1	- Error	2 Pages
A	Use <code>thead</code> to group repeated table headers, <code>tfoot</code> for repeated table footers, and <code>tbody</code> for other groups of rows.	1.3.1	- Review	69 Pages
A	Use <code>colgroup</code> and <code>col</code> elements to group columns.	1.3.1	- Review	70 Pages
A	Table markup is used for all tabular information.	1.3.1	- Review	7137 Pages
A	Table captions identify the table.	1.3.1	- Review	4 Pages
A	Data tables that contain both row and column headers use the <code>scope</code> attribute to identify cells.	1.3.1	- Error	53 Pages
A	Data tables that contain more than one row/column of headers use the <code>id</code> and <code>headers</code> attributes to identify cells.	1.3.1	- Error	7 Pages

	Success Criteria	Part of Guideline	Classification	
A	All checkbox groups are marked using <code>fieldset</code> and <code>legend</code> elements.	1.3.1	🚫 - Error	28 Pages
A	All visual lists are marked.	1.3.1	👁️ - Review	23 Pages
A	Unicode right-to-left marks or left-to-right marks are used whenever the HTML bidirectional algorithm produces undesirable results.	1.3.1	👁️ - Review	7145 Pages
A	All changes in text direction are marked using the <code>dir</code> attribute.	1.3.1	👁️ - Review	7145 Pages
A	All layout <code>tables</code> make sense when linearized.	1.3.3	👁️ - Review	442 Pages
A	All text references do not use shape, size, or relative position alone.	1.3.3	👁️ - Review	7145 Pages
A	For all <code>img</code> elements, text does not refer to the image by color alone.	1.4.1	👁️ - Review	412 Pages
A	<code>input</code> should not use color alone.	1.4.1	👁️ - Review	7035 Pages
A	Color alone should not be used in the <code>script</code> .	1.4.1	👁️ - Review	7067 Pages
A	The luminosity contrast ratio between text and background color in all images is at least 5:1.	1.4.1	👁️ - Review	5799 Pages
A	All text colors or no text colors are set.	1.4.1	🚫 - Error	1 Pages
A	User interface for <code>script</code> must be accessible.	2.1.1	👁️ - Review	7067 Pages
A	All <code>onmouseout</code> event handlers have an associated <code>onblur</code> event handler.	2.1.1	🚫 - Error	1 Pages
A	All <code>onmouseover</code> event handlers have an associated <code>onfocus</code> event handler.	2.1.1	🚫 - Error	1 Pages
A	All <code>img</code> elements have associated images that do not flicker.	2.3.1	👁️ - Review	151 Pages
A	<code>script</code> should not cause screen flicker.	2.3.1	👁️ - Review	7067 Pages

	Success Criteria	Part of Guideline	Classification	
A	"A "skip to content" link appears on all pages with blocks of material prior to the main document."	2.4.1	👁 - Review	7096 Pages
A	ASCII art should have a skipover link.	2.4.1	🔔 - Warning	6 Pages
A	All groups of links with a related purpose are marked.	2.4.1	👁 - Review	7145 Pages
A	Document contains a <code>title</code> element.	2.4.2	🚫 - Error	1 Pages
A	<code>title</code> is short.	2.4.2	🔔 - Warning	5 Pages
A	<code>title</code> describes the document.	2.4.2	👁 - Review	7144 Pages
A	Link text is meaningful when read out of context.	2.4.4	👁 - Review	7096 Pages
A	Suspicious link text.	2.4.4	🔔 - Warning	99 Pages
A	Each source anchor contains text.	2.4.4	🚫 - Error	395 Pages
A	Document has required <code>lang</code> attribute(s).	3.1.1	🚫 - Error	634 Pages
A	Document has valid language code.	3.1.1	🚫 - Error	634 Pages
A	Change of context occurs only by user activation unless a warning is provided.	3.2.2	👁 - Review	39 Pages
A	All form submission error messages identify any empty required fields.	3.3.1	👁 - Review	6746 Pages
A	Each <code>input</code> element has only one associated <code>label</code> .	3.3.2	🚫 - Error	25 Pages
A	Each label associated with an <code>input</code> element contains text.	3.3.2	🚫 - Error	19 Pages
A	Each label describes its associated <code>input</code> element.	3.3.2	👁 - Review	179 Pages

	Success Criteria	Part of Guideline	Classification	
A	"All input elements, type of "file", have a label that describes the purpose or function of the control."	3.3.2	👁️ - Review	8 Pages
A	All select elements have a label that describes the purpose or function of the control.	3.3.2	👁️ - Review	1 Pages
A	"All input elements, type of "password", have a label that describes the purpose or function of the control."	3.3.2	👁️ - Review	5 Pages
A	"All input elements, type of "text", have a label that describes the purpose or function of the control."	3.3.2	👁️ - Review	190 Pages
A	"All input elements, type of "checkbox", have a label that describes the purpose or function of the control."	3.3.2	👁️ - Review	43 Pages
A	"All input elements, type of "radio", have a label that describes the purpose or function of the control."	3.3.2	👁️ - Review	44 Pages
A	All form fields that are required are indicated to the user as required.	3.3.2	👁️ - Review	6746 Pages
A	id attributes must be unique.	4.1.1	🚫 - Error	609 Pages

All level AA accessibility issues

	Success Criteria	Part of Guideline	Classification	
AA	Provide sufficient contrast between text and background colours.	1.4.3	🚫 - Error	6771 Pages
AA	Visited link text colour must contrast sufficiently with its background colour.	1.4.3	👁️ - Review	7095 Pages
AA	Active link text colour must contrast sufficiently with its background colour.	1.4.3	👁️ - Review	7095 Pages
AA	Selected link text colour must contrast sufficiently with its background colour.	1.4.3	👁️ - Review	7095 Pages
AA	Link text colour must contrast sufficiently with its background colour.	1.4.3	🚫 - Error	6750 Pages

	Success Criteria	Part of Guideline	Classification	
AA	b (bold) element is not used.	1.4.4	🚫 - Error	26 Pages
AA	i (italic) element is not used.	1.4.4	🚫 - Error	41 Pages
AA	font must not be used.	1.4.4	🚫 - Error	16 Pages
AA	Alt text for all <code>img</code> elements contains all text in the image unless the image text is decorative or appears elsewhere in the document.	1.4.5	👁️ - Review	766 Pages
AA	Sites must have a site map.	2.4.5	👁️ - Review	7145 Pages
AA	The header following an <code>h1</code> is <code>h1</code> or <code>h2</code> .	2.4.6	🚫 - Error	8 Pages
AA	The header following an <code>h2</code> is <code>h1</code> , <code>h2</code> or <code>h3</code> .	2.4.6	🚫 - Error	26 Pages
AA	The header following an <code>h3</code> is <code>h1</code> , <code>h2</code> , <code>h3</code> or <code>h4</code> .	2.4.6	🚫 - Error	3 Pages
AA	All <code>h1</code> elements are not used for formatting.	2.4.6	👁️ - Review	7024 Pages
AA	All <code>h2</code> elements are not used for formatting.	2.4.6	👁️ - Review	6242 Pages
AA	All <code>h3</code> elements are not used for formatting.	2.4.6	👁️ - Review	2295 Pages
AA	All <code>h4</code> elements are not used for formatting.	2.4.6	👁️ - Review	6736 Pages
AA	All <code>h5</code> elements are not used for formatting.	2.4.6	👁️ - Review	6997 Pages
AA	Words and phrases not in the document's primary language are marked.	3.1.2	👁️ - Review	7145 Pages
AA	The tab order specified by <code>tabindex</code> attributes follows a logical order.	3.2.3	👁️ - Review	6745 Pages
AA	Repeated components appear in the same relative order each time they appear.	3.2.3	👁️ - Review	7145 Pages

Success Criteria	Part of Guideline	Classification	
AA List items must not be used to format text.	3.2.4	🔔 - Warning	37 Pages
AA <code>b1ockquote</code> must not be used for indentation.	3.2.4	👁️ - Review	167 Pages
AA Use the <code>b1ockquote</code> element to mark-up block quotations.	3.2.4	👁️ - Review	7145 Pages
AA All form submission error messages provide assistance in correcting the error.	3.3.3	👁️ - Review	6746 Pages
AA Form submission data is presented to the user before final acceptance for all irreversible transactions.	3.3.4	👁️ - Review	6746 Pages
AA Information deleted using a web page can be recovered.	3.3.4	👁️ - Review	6746 Pages

