

Fax 717-691-2344

Allergen Immunotherapy Order Form

For your patient's safety and to facilitate the transfer of allergy treatment to our clinic, this form must be completed to provide standardization and prevent errors. Failure to complete this form will delay or prevent the patient from utilizing our services. Form can be delivered by the patient, mailed, or faxed (see address and fax above).

Patient Name: _____ Date of Birth: _____

Physician: _____ Office Phone: _____ Secure Fax: _____

Office Address: _____

PRE-INJECTION CHECKLIST

- Is peak flow required prior to injection? NO ☐ YES: ☐ If yes, peak flow must be \geq _____ L/min to give injection.
- Is student required to have taken an antihistamine prior to injection? NO ☐ YES ☐

INJECTION SCHEDULE: Date of Last Dose and Reaction Noted _____

Begin with _____ (dilution) at _____ ml (dose) and increase according to the schedule below.

Dilution					
Vial Cap Color					
Expiration Date(s)	____/____/____	____/____/____	____/____/____	____/____/____	____/____/____
	_____ ml	_____ ml	_____ ml	_____ ml	_____ ml
	_____ ml	_____ ml	_____ ml	_____ ml	_____ ml
	_____ ml	_____ ml	_____ ml	_____ ml	_____ ml
	_____ ml	_____ ml	_____ ml	_____ ml	_____ ml
	_____ ml	_____ ml	_____ ml	_____ ml	_____ ml
	_____ ml	_____ ml	_____ ml	_____ ml	_____ ml
	_____ ml	_____ ml	_____ ml	_____ ml	_____ ml
	_____ ml	_____ ml	_____ ml	_____ ml	_____ ml
	_____ ml	_____ ml	_____ ml	_____ ml	_____ ml
	Go to next Dilution	Go to next Dilution	Go to next Dilution	Go to next Dilution	_____ ml

MANAGEMENT OF MISSED INJECTIONS: (According to number of days from **LAST** injection)

<i>During Build-Up Phase</i>	<i>After Reaching Maintenance</i>
▪ ____ to ____ days – continue as scheduled	▪ ____ to ____ days – give same maintenance dose
▪ ____ to ____ days – repeat previous dose	▪ ____ to ____ weeks – reduce previous dose by ____ (ml)
▪ ____ to ____ days – reduce previous dose by ____ (ml)	▪ ____ to ____ weeks – reduce previous dose by ____ (ml)
▪ ____ to ____ days – reduce previous dose by ____ (ml)	▪ Over ____ weeks – contact office for instructions
▪ Over ____ days – contact office for instructions	

REACTIONS:

At next visit: Repeat dose if swelling is $>$ _____ mm and $<$ _____ mm.

Reduce by one dose increment if swelling is $>$ _____ mm.

Other Instructions: _____

Physician Signature: _____ Date: _____